



Roanoke Fire-EMS

Fire Marshal's Office
 713 Third Street SW
 Roanoke, VA 24016
 (540) 853-2795

www.roanokeva.gov/firemarshal

Fire Prevention Code Permit Application

2018 FLPG: LP Gas

| Applicant Information | | | | |
|---|--------|------------------|--------|-----|
| Business Name: | | | | |
| Physical Address: | Street | City | State | Zip |
| Mailing Address: | Street | City | State | Zip |
| Contact Name: | | | | |
| E-mail Address: | | | | |
| Primary Phone: | | Alternate Phone: | | |
| Location of Permitted Activity | | | | |
| Business Name: | | | | |
| Physical Address: | Street | City | State | Zip |
| Permit Billing Information | | | | |
| Business Name: <small>(including d/b/a or t/a names)</small> | | | | |
| Billing Address: | Street | City | State | Zip |
| Billing Contact: | | | Phone: | |
| E-mail Address: | | | | |
| City of Roanoke Business License #: | | Federal Tax ID: | | |

| FIRE MARSHAL'S OFFICE USE ONLY | | |
|--------------------------------|-------------|-------|
| Reviewed By: | | Date: |
| Comments/Special Conditions: | | |
| Permit Number: | Permit Fee: | |

Application Checklist

Review of this permit application requires all of the following to be included:

- Completed Fire Prevention Code Permit Application
- Site Plan/Floor Plan showing:
 1. Location of liquid propane gas
 2. Location of ALL Fire Extinguishers
 3. Location of ALL Exits or Openings
- Information on all containers, including size and quantities
- SDS for Liquid Propane Gas
- Safety Plan

Circumstances of Application/Description of Work

Roanoke Fire-EMS Fire Protection Code Permit
2018 FLPG: LP Gas

Permit General Conditions and Acknowledgements

The Applicant is required to review the following provisions of the Statewide Fire Prevention Code and its referenced standards. After reviewing each provision, the **Applicant must initial each item to acknowledge their review and agreement to comply with the requirement.** If the requirement is not applicable to the application, the Applicant is to write N/A in place of their initials.

- Safety devices on LP-gas containers, equipment and systems shall not be tampered with or made ineffective.
- “No Smoking” signs comply with section 310 shall be posted. Smoking within 25 feet (7620 mm) of a point of transfer, while filling operations are in progress at LP-gas containers or vehicles, shall be prohibited.
- Weeds, grass, brush, trash and other combustible materials shall be kept not less than 10 feet (3048 mm) from LP-gas tanks or containers.
- Where exposed to vehicular damage due to proximity to alleys, driveways or parking areas, LP-gas containers, regulators and piping shall be protected in accordance with NFPA 58.
- Portable fire extinguishers complying with Section 906 shall be provided as specified in NFPA 58.
- Storage of portable LP-gas containers of 1,000 pounds (454 kg) or less, whether filled, partially filled or empty, at consumer sites or distribution points, and for resale by dealers shall comply in accordance with this permit.
 - Exceptions:
 1. LP-gas containers that have not previously been in LP-gas service
 2. LP-gas containers at distribution plants
 3. LP-gas containers at consumer sites or distribution points, which are connected for use.
- LP-Gas containers in storage shall be located in a manner that minimizes exposure to excessive temperature rise, physical damage or tampering.
- LP-Gas containers shall not be located near exit access doors, exits, stairways or in areas normally used, or intended to be used, as a means of egress.

Roanoke Fire-EMS Fire Protection Code Permit
2018 FLPG: LP Gas

Permit Certification

By my signature below, I hereby certify that I have read and examined this application and that all of the information contained therein is true and correct. Furthermore, I certify that the proposed operations will fully comply with the requirements contained in The Virginia Statewide Fire Prevention Code and any other related laws and /or Codes. I agree to indemnify, save harmless, and defend the City of Roanoke, its agents and employees, from all claims, damages, costs, expenses, and charges, including attorney's fees, which arise out of or by reason of these operations.

I acknowledge that if a permit is issued based on this application, it shall only be valid with in the building, facility, and/or location listed on this application for the specific date(s) and time(s) for which it is issued.

I acknowledge that approval of this application does not constitute permit issuance. Permit issuance does not occur until the completion of an on-site inspection by the Roanoke Fire Marshal's Office..

I acknowledge and understand that any violations of the Virginia Statewide Fire Prevention Code and/or the requirements of this permit may result in immediate permit suspension or revocation.

I agree to indemnify, save harmless, and defend the City of Roanoke, Virginia and its agents and employees from all claims, damages, costs, expenses, and charges, including attorney's fees, which arise out of or by reason of the activities associated with this permit.

| | | | |
|-------------------|--|--------------|--|
| Name: | | | |
| Signature: | | Date: | |

Roanoke Fire-EMS Fire Protection Code Permit
2018 FLPG: LP Gas

Fire Prevention Code Permit Application Instructions and Conditions
2018 FLPG: LP Gas

| | |
|--|---|
| Permit Name: | 2018 FLPG: LP Gas |
| Statewide Fire Prevention Code Section: | 6101.2 |
| Scope: | Permits shall be required as set forth in Section 107.2. Distributors shall not fill an LP-gas container for which a permit is required unless an operational permit has been issued for that location by the fire code official, except when the container is for temporary use on construction sites. |
| Fee: | \$50.00 |
| Duration: | Annual |
| Application Requirements: | <p>There are specific and specialized requirements described within this application. Please review the application for all requirements.</p> <p>After issuance of your initial permit(s), your permit(s) will be valid for one (1) year.</p> |
| Operational Requirements: | Permit holder agrees to abide by the Virginia Statewide Fire Prevention Code and any special stipulations noted on permit. Please review the application for all operational requirements. |
| Submittal Instructions: | Submittal must include a completed application and all attachments listed on page 2 of this application. This application will not be reviewed without all required attachments. |